

EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	2	"4970679".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/10/26 13:37
L3	2	"20020032710".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/10/26 13:37
L4	3	(corner near turning) (orthogonal near memory)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/10/26 13:37
L5	2	"5101371".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/10/26 13:37
L6	525	(corner near turn\$3) (orthogonal)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/10/26 13:37
L7	4	(corner near turn\$3) (orthogonal near (memory or storage))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/10/26 13:37
L8	120	(corner near turn\$3) (orthogonal) matrix	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/10/26 13:37

L9	67	(corner near turn\$3) (orthogonal) matrix port	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/10/26 13:37
L10	4	"3936806".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/10/26 13:37
L11	3	"3681763".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/10/26 13:37
L12	2	"20090197536".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/10/26 13:37
L13	3	"4484265".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/10/26 13:37
L14	3	"3189879".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/10/26 13:37
L15	80	corner near turning near memory	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/10/26 13:37
L16	67	corner near turning (shift near register)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/10/26 13:37

L17	647	(corner near turn\$3) (matrix)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/10/26 13:37
L18	30	(corner near turn\$3) (matrix)("64" and "32" and "16" and "8") near bit	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/10/26 13:37
L19	33	(corner near turn\$3) (matrix) (size near data)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/10/26 13:37
L20	199	(corner near turn\$3) (matrix) row column cell	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/10/26 13:37
L21	1	("5680127").URPN.	USPAT	AND	ON	2010/10/26 13:37
L22	335	(corner near turning) (vary\$5 or varia\$4 or differ\$4) near (siz\$4 or width or dimension)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/10/26 13:37
L23	10	(corner near turn\$4) (vary\$5 or varia\$4 or differ\$4) near (siz\$4 or width or dimension) near (data or word)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/10/26 13:37
L24	26	((corner near turn\$4) or (orthogonal near memory)) (shift adj register) pointer	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/10/26 13:37
L25	7	data formatter with orthogonal input/ output and spatial reordering	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/10/26 13:37

L26	12	((corner near turn\$4) or (orthogonal near memory)) (shift adj register) (mask adj register)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/10/26 13:37
L27	12	((corner near turn\$4) or (orthogonal near memory)) (shift\$3 adj register) (mask\$3 adj register)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/10/26 13:37
L28	183	((corner near turn\$4) or (orthogonal near memory)) (shift\$3 adj register)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/10/26 13:37
L29	59	((corner near turn\$4) or (orthogonal near memory)) (shift\$3 adj register) mask\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/10/26 13:37
L30	2	"6314509".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/10/26 13:37
L31	183	((corner near turn\$4) or (orthogonal near memory)) (shift\$3 adj register)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/10/26 13:37
L32	419	((corner near turn\$4 near memory) or (orthogonal near memory))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/10/26 13:37
L33	2	"6781898".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/10/26 13:37

L34	2	(corner near turning) (orthogonal near memory) (mask\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/10/26 13:37
L35	2	(corner near turn\$3) (orthogonal near (memory or storage)) mask\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/10/26 13:37
L36	119	(corner near turn\$3) (orthogonal) mask\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/10/26 13:37
L37	1	07/993938.app.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/10/26 13:37
L38	528	(corner near turn\$3) mask\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/10/26 13:37
L39	24	(corner near turn\$3) mask\$3 near register	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/10/26 13:37
L40	55	wo 94/10754	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/10/26 13:37
L41	5	improved adj configurable adj cellular adj array	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/10/26 13:37

L42	4559	improved configurable cellular array	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/10/26 13:37
L43	0	(improved configurable cellular array).ti.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/10/26 13:37
L44	0	pct "1993010404"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/10/26 13:37
L45	8	(711/100,101.ccls. or 712/14,22.ccls. or 710/71.ccls.)(corner near turn\$3) (matrix)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/10/26 13:37
L46	5	(711/100,101.ccls. or 712/14,22.ccls. or 710/71.ccls.) (corner near turn\$3) (matrix) row column cell	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/10/26 13:37
L47	1	(711/100,101.ccls. or 712/14,22.ccls. or 710/71.ccls.) ((corner near turn\$4 near memory) or (orthogonal near memory))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/10/26 13:37
L48	6	(711/100,101.ccls. or 712/14,22.ccls. or 710/71.ccls.) (corner near turn\$3) mask\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/10/26 13:37
L49	56	aspex.as.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/10/26 13:37

L50	10	(aspe ^x semiconductor).as.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/10/26 13:37
L51	1	(aspe ^x semiconductor limited).as.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/10/26 13:38
S1	2	"4970679".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/03/02 12:30
S2	2	"20020032710".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/03/02 12:46
S3	3	(corner near turning) (orthogonal near memory)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/03/02 12:49
S4	2	"5101371".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/03/02 12:57
S5	496	(corner near turn\$3) (orthogonal)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/03/02 12:58
S6	4	(corner near turn\$3) (orthogonal near (memory or storage))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/03/02 12:59

S7	114	(corner near turn\$3) (orthogonal) matrix	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/03/02 13:03
S8	64	(corner near turn\$3) (orthogonal) matrix port	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/03/02 13:03
S9	4	"3936806".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/03/02 13:09
S10	3	"3681763".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/03/02 13:10
S11	2	"20090197536".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/03/02 13:37
S12	2	"4484265".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/03/02 13:42
S13	3	"3189879".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/03/02 13:56
S14	74	corner near turning near memory	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/03/02 14:07

S15	67	corner near turning (shift near register)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/03/02 14:07
S16	607	(corner near turn\$3) (matrix)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/03/29 10:50
S17	29	(corner near turn\$3) (matrix) ("64" and "32" and "16" and "8") near bit	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/03/29 10:51
S18	32	(corner near turn\$3) (matrix) (size near data)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/03/29 10:53
S19	182	(corner near turn\$3) (matrix) row column cell	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/03/29 10:54
S20	1	("5680127").URPN.	USPAT	AND	ON	2010/03/29 11:08
S21	321	(corner near turning) (vary\$5 or varia\$4 or differ\$4) near (siz\$4 or width or dimension)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/03/29 11:18
S22	9	(corner near turn\$4) (vary\$5 or varia\$4 or differ\$4) near (siz\$4 or width or dimension) near (data or word)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/03/29 11:19
S23	26	((corner near turn\$4) or (orthogonal near memory)) (shift adj register) pointer	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/03/30 10:01

S26	7	data formatter with orthogonal input/ output and spatial reordering	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/03/30 10:15
S27	11	((corner near turn\$4) or (orthogonal near memory)) (shift adj register) (mask adj register)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/03/30 11:03
S28	11	((corner near turn\$4) or (orthogonal near memory)) (shift\$3 adj register) (mask\$3 adj register)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/03/30 12:32
S29	182	((corner near turn\$4) or (orthogonal near memory)) (shift\$3 adj register)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/03/30 12:33
S30	58	((corner near turn\$4) or (orthogonal near memory)) (shift\$3 adj register) mask\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/03/30 12:33
S31	2	"6314509".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/03/30 13:49
S32	182	((corner near turn\$4) or (orthogonal near memory)) (shift\$3 adj register)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/03/30 13:51
S33	405	((corner near turn\$4 near memory) or (orthogonal near memory))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/03/30 14:07

S34	2	"6781898".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/04/01 10:32
S35	2	(corner near turning) (orthogonal near memory) (mask\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/04/01 10:55
S36	2	(corner near turn\$3) (orthogonal near (memory or storage)) mask\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/04/01 10:55
S37	113	(corner near turn\$3) (orthogonal) mask\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/04/01 10:55
S38	1	07/993938.app.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/04/01 11:14
S39	499	(corner near turn\$3) mask\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/04/01 11:18
S40	23	(corner near turn\$3) mask\$3 near register	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/04/01 11:18
S41	55	wo 94/10754	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/04/01 12:11

S42	5	improved adj configurable adj cellular adj array	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/04/01 12:15
S43	4047	improved configurable cellular array	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/04/01 12:17
S44	0	(improved configurable cellular array).ti.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/04/01 12:17
S52	0	pct "1993010404"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/04/01 12:20
S53	8	(711/100,101.ccls. or 712/14,22.ccls. or 710/71.ccls.)(corner near turn\$3) (matrix)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/04/06 14:21
S54	5	(711/100,101.ccls. or 712/14,22.ccls. or 710/71.ccls.) (corner near turn\$3) (matrix) row column cell	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/04/06 14:22
S55	1	(711/100,101.ccls. or 712/14,22.ccls. or 710/71.ccls.) ((corner near turn\$4 near memory) or (orthogonal near memory))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/04/06 14:22
S56	6	(711/100,101.ccls. or 712/14,22.ccls. or 710/71.ccls.) (corner near turn\$3) mask\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/04/06 14:22

S57	54	aspex.as.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/04/06 14:25
S58	9	(aspex semiconductor). as.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/04/06 14:26
S59	1	(aspex semiconductor limited).as.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/04/06 14:26

EAST Search History (Interference)

< This search history is empty >

10/ 26/ 2010 1:40:52 PM**C:\Documents and Settings\maisip\My Documents\EAST\Workspaces\ 10591922.wsp**